ELSEVIER

Volume 309, Numbers 1–2, 14 September 2000

Journal of
ALLOYS
AND COMPOUNDS

www.elsevier.com/locate/jallcom

Contents

Letters

Structural and hydriding properties of $MgYNi_4$: A new intermetallic compound with C15*b*-type Laves phase structure L1
K. Aono, S. Orimo and H. Fujii (Higashi-Hiroshima, Japan)

Hardness and elastic properties of $Ti(C_xN_{1-x})$, $Zr(C_xN_{1-x})$ and $Hf(C_xN_{1-x})$ L5
Q. Yang, W. Lengauer, T. Koch (Vienna, Austria), M. Scheerer and I. Smid (Seibersdorf, Austria)

A specific-heat study of $GdMn_4Al_8$ L10
N.P. Duong, J.C.P. Klaasse, E. Brück, I.H. Hagmusa, F.R. de Boer and K.H.J. Buschow (Amsterdam, The Netherlands)

Fabrication of nano-sized AlGaN alloy by dry milling and thermal annealing L13
Y.G. Cao, X.L. Chen, Y.C. Lan, J.Y. Li, Y.P. Xu, T. Xu and J.K. Liang (Beijing, PR China)

Physics

Structure refinements and some properties of the transition metal stannides Os_3Sn_7, Ir_5Sn_7, $Ni_{0.402(4)}Pd_{0.598}Sn_4$, α-$PdSn_2$ and $PtSn_4$ 1
B. Künnen, D. Niepmann and W. Jeitschko (Münster, Germany)

High-resolution photoluminescence spectrum of $GdVO_4:Eu^{3+}$ 10
Q.-l. Zhang, C.-x. Guo, C.-s. Shi (Hefei, China) and S.-z. Lü (Changchun, China)

Lattice distortions and the magnetic susceptibility of γ-MnRh disordered alloys 16
R. Yamauchi (Sendai, Japan), T. Hori (Saitama, Japan), M. Miyakawa and K. Fukamichi (Sendai, Japan)

Magnetic study of the $HfFe_6Ge_6$-type solid solutions $ScMn_6Ge_{6-x}Ga_x$ and $LuMn_6Ge_{6-x}Ga_x$ $(0.25=x=1.50)$ 20
G. Venturini (Vandoeuvre les Nancy, France)

Magnetization processes in the $TbMn_6Sn_6$ compound 26
N.K. Zajkov, N.V. Mushnikov (Ekaterinburg, Russia), M.I. Bartashevich and T. Goto (Chiba-ken, Japan)

Noncollinear magnetic order in U_3Bi_4 31
K. Knöpfle, L.M. Sandratskii and J. Kübler (Darmstadt, Germany)

Phase diagram and electric transport properties of samples of the quasi-binary system $CuInS_2$–CdS 39
I.D. Olekseyuk, H.Ye. Davidyuk, O.V. Parasyuk, S.V. Voronyuk, V.O. Halka and V.A. Oksyuta (Lutsk, Ukraine)

Pressure effects on magnetism in $U_{1-x}Y_xCoAl$ compounds 45
A.V. Andreev (Prague, Czech Republic), M. Kosaka, Y. Uwatoko (Urawa, Japan) and V. Sechovský (Prague, Czech Republic)

New equiatomic silicides of MM′Si (M=Nb, Ta;M′=Pt, Rh) and superconductivity of $Ta_{1-x}Nb_xPtSi$ 51
S. Yashiro, A. Kasahi, R. Kasai (Tokyo, Japan), H. Samata (Kobe, Japan) and Y. Nagata (Tokyo, Japan)

Chemistry

Selective oxidation of methanol on Fe–Mo–W catalysts 57
K. Ivanov (Plovdiv, Bulgaria), I. Mitov (Sofia, Bulgaria) and S. Krustev (Plovdiv, Bulgaria)

Mechanochemical milling-induced reactions between gases and sulfide minerals. I. Reactions of SO_2 with arsenopyrite, pyrrhotite and pyrite 61
M.G. Aylmore and F.J. Lincoln (Nedlands, Australia)

The crystal structure of the oxygen-stabilized η-phase $Zr_3V_3O_xD_{9.6}$ 75
I.Yu. Zavaliy (Lviv, Ukraine), W.B. Yelon (Columbia, MO, USA), P.Y. Zavalij (Binghamton, NY, USA), I.V. Saldan (Lviv, Ukraine) and V.K. Pecharsky (Ames, IA, USA)

Crystal structure of a novel cubic pyrophosphate WP_2O_7 83
V.V. Lisnyak, N.V. Stus, N.S. Slobodyanik, N.M. Belyavina and V.Ya. Markiv (Kyiv, Ukraine)

Elsevier Science S.A.

Effect of yttrium on the corrosion of AB_5-type alloys for nickel–metal hydride batteries 88
F. Maurel (Vitry sur Seine, France), P. Leblanc, B. Knosp (Bordeaux, France) and M. Backhaus-Ricoult (Vitry sur Seine, France)

The ternary system Tm_2O_3–SrO–CuO: compounds and phase relations 95
C.Q. Han, X.L. Chen (Beijing, PR China), J.K. Liang (Beijing and Shenyang, PR China), Q.L. Liu, Y. Chen and G.H. Rao (Beijing, PR China)

Polymer-bonded magnets. III. Effect of surface modification and particle size on the improved oxidation and corrosion resistance of magnetic rare earth fillers 100
J. Xiao and J. Otaigbe (Ames, IA, USA)

Synthesis and characterization of the nonstoichiometric perovskite-type compound $ScRh_3B_x$ 107
T. Shishido (Miyagi, Japan), J. Ye (Ibaraki, Japan), S. Okada (Tokyo, Japan), K. Kudou (Yokohama, Japan), T. Sasaki (Miyagi, Japan), S. Isida, T. Naka (Ibaraki, Japan), M. Oku (Miyagi, Japan), I. Higashi (Chiba, Japan), H. Kishi (Tochigi, Japan), H. Horiuchi (Aomori, Japan) and T. Fukuda (Miyagi, Japan)

A novel aqueous solution route to the low-temperature synthesis of $SrBi_2Nb_2O_9$ by use of water-soluble Bi and Nb complexes 113
T. Asai, E.R. Camargo, M. Kakihana (Yokohama, Japan) and M. Osada (Saitama, Japan)

Metallurgy

X-ray high-temperature in situ investigation of the aluminide $TiAl_2$ ($HfGa_2$ type) 118
J. Braun and M. Ellner (Stuttgart, Germany)

Revision of the low-temperature structures of rhombohedral $ZrCr_2D_x$ (x~3.8), and monoclinic ZrV_2D_x ($1.1<x<2.3$) and HfV_2D_x (x~1.9) 123
H. Kohlmann and K. Yvon (Genève, Switzerland)

The structure of the trihydride GdH_3 127
M. Ellner, H. Reule and E.J. Mittemeijer (Stuttgart, Germany)

Diffusion studies and re-examination of the Kirkendall effect in the Au–Ni system 132
M.J.H. van Dal, M.C.L.P. Pleumeekers, A.A. Kodentsov and F.J.J. van Loo (Eindhoven, The Netherlands)

New phases in Tb–Fe–Si system 141
G.V. Ivanova, G.M. Makarova, Ye.V. Shcherbakova and Ye.V. Belozerov (Ekaterinburg, Russia)

A thermodynamic assessment of the La–Sn system 147
M. Huang, X. Su, F. Yin, P. Zhang, Z. Li and C. Chen (Hunan, PR China)

Crystal structure of Th_2Al deuterides 154
M.H. Sørby, H. Fjellvåg (Kjeller and Oslo, Norway), B.C. Hauback, A.J. Maeland and V.A. Yartys (Kjeller, Norway)

The Cu_2Se–$HgSe$–In_2Se_3 quasi-ternary system. I. Description of the quadrangle Cu_2Se–$CuInSe_2$–$HgIn_2Se_4$–$HgSe$ 165
V.O. Halka, I.D. Olekseyuk and O.V. Parasyuk (Lutsk, Ukraine)

Effect of nitrogen content on structure and magnetic properties of $Nd_{16}Fe_{84-x}B_xN_y$ alloys prepared by mechanical alloying . . 172
W. Liu, Z.D. Zhang, X.K. Sun, J.F. He, H. Tang, B.Z. Cui and X.G. Zhao (Shenyang, PR China)

Interaction between the components in the Ti–Cu–Sb system at 770 K 176
N.O. Koblyuk, L.P. Romaka and O.I. Bodak (L'viv, Ukraine)

Materials Science

New $B8_1$–$B8_2$ phases in the Ni–In system 179
L. Norén, R.L. Withers and Y. Tabira (Canberra, Australia)

Amalgams for fluorescent lamps. Part II: The systems Bi–Pb–Hg and Bi–Pb–Au–Hg 188
M.H.R. Lankhorst, W. Keur and H.A.M. van Hal (Eindhoven, The Netherlands)

Hydrogen sorption in homologous lanthanum and cerium nickel silicides 197
A.V. Morozkin, S.N. Klyamkin, V.N. Verbetsky, S.N. Lushnikov, V.K. Portnoy, E.A. Movlaev, A.P. Chernavskii and A.V. Tarasov (Moscow, Russia)

Ti–TiN hardmetals prepared by in situ formation of TiN during reactive ball milling of Ti in ammonia 201
D. Wexler, A. Calka and A.Y. Mosbah (Wollongong, Australia)

Electrochemical characteristics of $Mg_{2-x}Al_xNi$ ($0\leq x\leq 0.5$) alloys 208
H.-T. Yuan, L.-B. Wang, R. Cao, Y.-J. Wang, Y.-s. Zhang, D.-Y. Yan, W.-H. Zhang and W.-L. Gong (Tianjin, People's Republic of China)

Beneficial effects of Cu substitution on the microstructures and magnetic properties of $Pr_2(FeCo)_{14}B/\alpha$-(FeCo) nanocomposites 212
Z. Wang, M. Zhang, S. Zhou, Y. Qiao and R. Wang (Beijing, PR China)

Synthesis of Bi(Cu)VO_x compounds by means of a monomode microwave. Crystallographic, calorimetric, electrical and low temperature magnetic properties 219
M. Gasgnier, A. Petit (Orsay, France), M.-F. Gardette (Paris, France), E. Rivière (Orsay, France), S. Launay (Paris, France), A. Dworkin (Orsay, France) and S. Toscani (Paris, France)

Thermoelectric properties of p-type $(Bi_2Te_3)_x(Sb_2Te_3)_{1-x}$ prepared via bulk mechanical alloying and hot pressing 225
J. Yang, T. Aizawa (Tokyo, Japan), A. Yamamoto and T. Ohta (Tsukuba, Japan)

Texture of magnesium alloy films growth by physical vapour deposition (PVD) 229
G. Garcés, M.C. Cristina, M. Torralba and P. Adeva (Madrid, Spain)

The influence of the kinetics of the hydrogenation of Nd–Fe–B alloys on hydrogen distribution in the alloy phases 239
K. Turek (Kraków, Poland), P. Liszkowski (Katowice, Poland) and H. Figiel (Kraków, Poland)

Author Index of Volume 309 245

Subject Index of Volume 309 247

Keyword list